



FEATURES

WITH PURE ART DECO STYLING, THIS ELEGANT PENDANT WITH ITS MATCHING WALL LIGHTS WILL GRACE ANY INTERIOR FROM THE 1930S TO THE PRESENT DAY. THE WARM INTERNAL LED LIGHT REFLECTS OFF THE UNDERSIDE OF EACH DETAILED SPINNING AND THERE IS RECESSED UPLIGHT ON TOP TO ILLUMINATE CEILINGS.

MATERIAL

STEEL

FINISH

ASTAIRE BRONZE (ASB)

CERTIFICATIONS

CE UK CA IP20

FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL	SUSPENSION TYPE	CHAIN
FINISH	ASTAIRE BRONZE (ASB)	DIMMABLE AS STANDARD?	YES
LAMPHOLDER TYPE	INTEGRAL LED	DIMMING TYPE	PHASE
INTEGRAL LIGHT SOURCE	LED 40W 2700K	INSULATION RATING	CLASS I
COLOUR TEMPERATURE	2700K	IP RATING	IP20
WATTAGE (W) - INTEGRAL LED	40W	MINIMUM DROP	780MM
CE	YES	MAXIMUM DROP	2670MM
UKCA	YES	CEILING PLATE DIMENSIONS	180MM DIAMETER
UL	FOR UL PLEASE ENQUIRE.	NET PRODUCT WEIGHT	10KG
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	850MM

FOR MORE INFORMATION ABOUT THIS PRODUCT:




Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —


EST. 1947



— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk